



LANDSCAPE LIGHTING CATALOG 2025

IrisLuces.r.l.
green solar light technology design

IRIS LUCE s.r.l.

Viale Della Rimembranza 7/3 | 30030 Salzano (VE) Italy

Registro Imprese VE N. 347840 C.F. e P.I. IT03666030261

Tel. +39 041 88 78 177 | +39 345 81 77 632

Email. info@italianlightstore.com | italianlightstore@gmail.com

www.italianlightstore.com






27337

220 ~ 240V-30W COB Ra $\geq$ 80 2550Lm (3000K)

220 ~ 240V-38W COB Ra $\geq$ 80 3230Lm (3000K)

 Class I
  IP65
  3.55 kg
  IK06



High-pressure casting aluminium lighting body .





27828



27928

27828

220 ~ 240V-7.2W LED $Ra \geq 80$ 468Lm(3000K)



Class I IP54 1.2 kg

27928

220 ~ 240V-11W LED $Ra \geq 80$ 880Lm(3000K)

Class I IP54 2.36 kg


Aluminium lighting body.PC COVER.



Optional accessories



173012 (地插)





27868



27968

27868

220 ~ 240V-7.2W LED Ra $\geq$ 80 468Lm(3000K)



Class I IP54 kg 1.8

27968

220 ~ 240V-11W LED Ra $\geq$ 80 880Lm(3000K)

Class I IP54 kg 3.5

Stainless steel body.PC COVER.








20117



20137



20127




20117 20127 20137

220 ~ 240V-9W COB Ra $\geq$ 80 462Lm(3000K)

Class I IP54 kg 2.88/2.81/2.66

Aluminium lighting body .





20617



20637



20627

20617 20627 20637

220 ~ 240V-12.8W COB Ra≥80 1088Lm(3000K)



Class I




IP54



kg 4.73/4.47/4.2

Aluminium lighting body .





24617



23607

24617

220 ~ 240V-9W COB $Ra \geq 80$ 630Lm(3000K)


Class I IP54 kg 4.8

23607

220 ~ 240V-15W COB $Ra \geq 80$ 1050Lm(3000K)

Class I IP54 kg 7.88

aluminium lighting body .



21527 21537

220 ~ 240V-15W COB $Ra \geq 80$ 450Lm(3000K)

 Class I
  IP54
  kg 5.30/4.85




21527



21537

aluminium lighting body .



21557 21567

220 ~ 240V-15W COB $Ra \geq 80$ 380Lm(3000K)

 Class I
  IP54
  kg 5.70/5.25




Aluminium lighting body .PC diffuser



21557



21567





25717 25727 25737

220 ~ 240V-15W COB $Ra \geq 80$ 450Lm(3000K)

 Class I
  IP54
  kg 2.87/5.69/4.9

Aluminium lighting body .




25747 25757 25767

220 ~ 240V-15W COB $Ra \geq 80$ 380Lm(3000K)

Class I IP54 $\frac{kg}{3.07/5.86/5.57}$




Aluminium lighting body . PC transparent cover .





20217



20227

20217

220 ~ 240V-9W COB $Ra \geq 80$ 720Lm(3000K)




Class I IP54 kg 3.34

20227

220 ~ 240V-15W COB $Ra \geq 80$ 1200Lm(3000K)

Class I IP54 kg 4.74

aluminium lighting body .





20218 (H300)


20218

220 ~ 240V-9W COB $Ra \geq 80$ 720Lm(3000K)

Class I IP54 kg 3.5



aluminium lighting body .



27417

220 ~ 240V-6.5W COB Ra $\geq$ 80 420Lm(3000K)

⊕ Class I ⚡ IP54 **kg** 2.39



27417






27717


27717

220 ~ 240V-6.5W COB Ra $\geq$ 80 510Lm(3000K)

⊕ Class I ⚡ IP54 **kg** 2.34

aluminium lighting body .







25418

220 ~ 240V-12W Ra $\geq$ 80 762Lm(3000K)

Class I IP54 kg 4.8

PC cover .aluminium lighting body



21207

220 ~ 240V-9W COB Ra $\geq$ 80 720Lm(3000K)

Class I IP54 kg 3.5 IK06

Aluminium lighting body.





26718



26728

26718 26728

220 ~ 240V-7.2W 6*1W $Ra \geq 80$ 468Lm(3000K)



Class I





IP54



kg 1.2/1.3

Aluminium lighting body. PC ccover.





20917

20937

20917

220 ~ 240V-9W COB $Ra \geq 80$ 660Lm(3000K)

Class I IP54 kg 1.48

20937

220 ~ 240V-7.2W LED $Ra \geq 80$ 425Lm(3000K)

Class I IP54 kg 1.75

PC transparent cover . Aluminium lighting body .



Optional accessories



173012(地插)



21217



21237

21217

220 ~ 240V-12.8W COB $Ra \geq 80$ 640Lm(3000K)


 Class I
  IP54
  kg 3.97

21237

220 ~ 240V-11W LED $Ra \geq 80$ 380Lm(3000K)


 Class I
  IP54
  kg 4.02

PC transparent cover . Aluminium lighting body .





25808



25808

220 ~ 240V-11W 9*1W $Ra \geq 80$ 480Lm(3000K)

220 ~ 240V-18W 9*2W $Ra \geq 80$ 779Lm(3000K)

Class I IP54 kg 6.52

PC cover .aluminium lighti



25868 25858

220 ~ 240V-11W LED $Ra \geq 80$ 396Lm(3000K)


Class I IP54 kg 6.62/3.08



25868




25858



PC cover .aluminium lighting body





23717

220 ~ 240V-9W COB $Ra \geq 80$ 765Lm(3000K)

Class I IP65 kg 2.6KG IK06

Aluminium lighting body.



26310



GU10 220V-5W LED PR16

Class I IP65 kg 2.73

26317

220 ~ 240V-9W COB $Ra \geq 80$ 540Lm(3000K)

Class I IP65 kg 2.78





29217



29227

29217

220 ~ 240V-6.5W COB $R_a \geq 80$ 520Lm(3000K)



Class I IP65 1.6KG IK06

29227

220 ~ 240V-2*6.5W COB $R_a \geq 80$ 1040Lm(3000K)

Class I IP65 2.0KG IK06

Aluminium lighting body.







28123





28133



28223



28233



28123 28133 28223 28233

E27 220V-12W LED TC-DSE 

 Class I  IP54  kg 3.53/2.62/4.15/3.32

PC cover .High-pressure casting aluminium lighting body




76517

220~240V-60W COB $Ra \geq 80$ 5500Lm(3000K)

 Class I  IP54  kg 18,5



Aluminium lighting body .



71218

220 ~ 240V-24W LED $Ra \geq 80$ 1680Lm (3000K)



Class I




IP54



kg 11.30



Aluminium lighting body . PC transparent cover .





70607

100 ~ 240V-30W COB $Ra \geq 80$ 2550Lm(3000K)

 Class I  IP54  kg 16.20



Aluminium lighting body .




71517

100 ~ 240V-30W COB $Ra \geq 80$ 2400Lm (3000K)

 Class I  IP54  kg 15.02



Aluminium lighting body .




71527

100 ~ 240V-30W COB $Ra \geq 80$ 1800Lm(3000K)

 Class I  IP54  kg 15.92



Aluminium lighting body . PC transparent cover .



75717

100 ~ 240V-30W COB Ra $\geq$ 80 2400Lm(3000K)



Class I






IP54



kg 18.92



Aluminium lighting body .



7527

100 ~ 240V-30W OCB Ra≥80 2130lm(3000K)



Class I






IP54



cg 19.50



Aluminium lighting body . PC transparent cover .




73107

100 ~ 240V-45W COB Ra $\geq$ 80 3600Lm(3000K)

 Class I  IP54  kg 20.50



Aluminium lighting body .




73617

100 ~ 240V-30W COB $R_a \geq 80$ 2550Lm(3000K)

 Class I  IP54  kg 19.30



Aluminium lighting body .





73607

100 ~ 240V-45W COB Ra $\geq$ 80 3150Lm(3000K)

 Class I  IP54  kg 22.30



Aluminium lighting body .



73606



220 ~ 240V-38W COB Ra $\geq$ 80 3150Lm(3000K)

 Class I  IP54  kg 22,30



Lighting head adjustable from 0° to 60°

Aluminium lighting body .The illumination angle is adjustable from 0-60° .




73517 73527

100 ~ 240V-45W COB $Ra \geq 80$ 3825Lm (3000K)


 Class I  IP65  kg 21.05



73517



73527



High-pressure casting aluminium lighting head .Aluminium lamppost .





75619

220 ~ 240V 22W 3535LED $Ra \geq 80$ 1980Lm(3000K)



75629

220 ~ 240V 44W 3535LED $Ra \geq 80$ 3960Lm(3000K)





75639

220 ~ 240V 66W 3535LED $Ra \geq 80$ 5940Lm(3000K)

Class I IP65



Aluminium lighting body .





75617

220 ~ 240V-45W COB $Ra \geq 80$ 3440Lm(3000K)



75627

220 ~ 240V-2*38W COB $Ra \geq 80$ 6080Lm(3000K)





75637

220 ~ 240V-3*30W COB $Ra \geq 80$ 7200Lm(3000K)

Class I IP65



Aluminium lighting body .



70317

220 ~ 240V 1*38W COB Ra $\geq$ 80 3230Lm(3000K)

 Class I  IP65  20.50 kg



70317

Aluminium lighting body .

